AMENDMENTS TO THE CLAIMS

Listing of the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- l. (Currently Amended) An axially restrained-shrunk catheter balloon comprising an axially oriented polymer.
- 2. (Original) The catheter balloon of claim 1 wherein the balloon is a compliant or semi-compliant catheter balloon.
- 3. (Original) The catheter balloon of claim 1 having a predetermined compliance curve that is attained at least in part by the axially restrained shrinkage of the balloon.
- 4. (Original) The catheter balloon of claim 3 wherein the predetermined compliance is a non-linear compliance curve.
- 5. (Original) The catheter balloon of claim 1 wherein the balloon comprises a crosslinked polymer or a polymer with shrink memory.
- 6. (Currently Amended) The catheter balloon of claim [[4]] 5 wherein the crosslinked polymer is crosslinked with a chemical crosslinker or wherein the crosslinked polymer is crosslinked using radiation.
- 7. (Currently Amended) The catheter balloon of claim [[4]] 5 wherein the polymer with shrink memory comprises a stretch-oriented polymer.
- 8. (Original) The catheter balloon of claim 1 wherein the balloon is further coupled to a tubular element.
- 9. (Original) The catheter balloon of claim 8 wherein the balloon is welded to the tubular element.

- 10. (Original) The catheter balloon of claim 8 wherein the balloon has a balloon outer diameter and wherein the tubular element has a tubular element outer diameter, and wherein the balloon outer diameter and the tubular element outer diameter are the same.
- 11. (Currently Amended) A <u>shrunk</u> catheter balloon having a predetermined compliance curve that is attained at least in part by axially restrained shrinkage of <u>the a catheter balloon</u>, to form a shrunk catheter balloon having a wall thickness that is less than the wall thickness of the polymer tube from which the catheter balloon is formed.
 - 12. (Cancel)
- 13. (Currently Amended) The <u>shrunk</u> catheter balloon of claim 11 wherein the compliance curve is a non-linear compliance curve.
- 14. (Currently Amended) The <u>shrunk</u> catheter balloon of claim 11 wherein the compliance curve has a reduced increase of diameter in a range of 14 atm to 20 atm as compared to a comparable catheter balloon that is produced without axially restrained shrinkage.
- 15. (Currently Amended) The <u>shrunk</u> catheter balloon of claim 11 wherein the balloon is a compliant or semi-compliant catheter balloon.
- 16. (Currently Amended) The <u>shrunk</u> catheter balloon of claim 11 wherein the balloon has an axial front end and an axial back end, and wherein axial restrained shrinkage is achieved by maintaining a distance between the front end and back end relative to each other.
- 17. (Currently Amended) The <u>shrunk</u> catheter balloon of claim 11 wherein the balloon has an axial front end and an axial back end, and wherein axial restrained shrinkage is achieved by increasing a distance between the front end and back end relative to each other.

- 18. (Currently Amended) The <u>shrunk</u> catheter balloon of claim 11 wherein the balloon comprises <u>comprising</u> a crosslinked polymer or a polymer with shrink memory.
- 19. (Currently Amended) The <u>shrunk</u> catheter balloon of claim 11 wherein the shrunk catheter balloon is coupled to a wire-guided catheter.

20-34. (Canceled)

- 35. (Currently Amended) A catheter comprising the catheter balloon of claim 1, wherein the catheter has an outer <u>lumen</u> diameter and wherein the catheter balloon has an outer diameter that is equal <u>to</u> or less <u>than that</u> the catheter outer <u>lumen</u> diameter.
- 36. (Currently Amended) A catheter comprising the <u>shrunk</u> catheter balloon of claim 11, wherein the catheter has an outer <u>lumen</u> diameter and wherein the <u>shrunk</u> catheter balloon has an outer diameter that is equal <u>to</u> or less <u>than that</u> the catheter outer lumen diameter.
- 37. (Previously Presented) A catheter comprising the catheter balloon of claim 1, wherein the catheter has an outer lumen of a given diameter and wherein the catheter balloon has an outer diameter that is equal to or greater than the catheter outer lumen diameter.
- 38. (Currently Amended) A catheter comprising the <u>shrunk</u> catheter balloon of claim 11, wherein the catheter has an outer lumen diameter and wherein the <u>shrunk</u> catheter balloon has an outer diameter that is equal to or greater than the catheter outer lumen diameter.
- 39. (Currently Amended) A <u>shrunk</u> catheter balloon produced by a process comprising:

providing a polymer material formed into a tube; axially stretching the tube; forming a balloon from a the polymer material, and heating the balloon while axially restraining axial contraction in a controlled manner and thereby radially shrinking the balloon.

- 40. (Currently Amended) A catheter comprising the <u>shrunk</u> catheter balloon of claim 39, wherein the catheter has an outer lumen diameter and wherein the <u>shrunk</u> catheter balloon has an outer diameter that is equal to or less than the catheter outer lumen diameter.
- 41. (Currently Amended) A catheter comprising the <u>shrunk</u> catheter balloon of claim 39, wherein the catheter has an outer lumen diameter and wherein the <u>shrunk</u> catheter balloon has an outer diameter that is equal to or greater than the catheter outer lumen diameter.
- 42. (Previously Presented) A catheter comprising a catheter balloon according to claim 1, wherein the restrained-shrink balloon has a reduced profile and the reduced profile is obtained without requiring the wrapping of the shrunk catheter balloon element about itself.
- 43. (Currently Amended) A catheter comprising a <u>shrunk</u> catheter balloon according to claim 11, wherein the <u>restrained shrink shrunk catheter</u> balloon has a reduced profile and the reduced profile is obtained without requiring the wrapping of the shrunk catheter balloon element about itself.
- 44. (Currently Amended) A catheter comprising a <u>shrunk</u> catheter balloon according to claim 39, wherein the <u>restrained shrink shrunk catheter</u> balloon has a reduced profile and the reduced profile is obtained without requiring the wrapping of the shrunk catheter balloon element about itself.
- 45. (Previously Presented) The catheter balloon of claim 1, having a reduced profile and comprising an expandable portion and a less expandable portion.

- 46. (Previously Presented) The catheter balloon of claim 45, wherein the expandable portion is between two less expandable portions.
- 47. (Previously Presented) The catheter balloon of claim 1, wherein an outer diameter of an expandable portion is a value between an outer diameter of a corresponding unshrunken balloon and an outer diameter of the tube from which it is formed.
- 48. (Previously Presented) The catheter balloon of claim 45, joined to a catheter to comprise a medical dilatation device.